Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-044-3567

# Section Quantity:

1

Body Style:

Rectangular

## **Reliability Indicator:**

Not established

#### Body Length:

0.344 inches

#### **Body Width:**

0.593 inches

**Body Height:** 

0.796 inches

#### Actuator Type:

Flush drive with slot-hole

#### Effective Electrical Rotation In Deg Angular Rotation:

260.0

#### **Terminal Location:**

Rear end

#### **Mounting Method:**

Tab

#### Features Provided:

Grounded contact arm

#### **Electrical Resistance Per Section:**

1.0 kilohms single section

#### Rotary Actuator Travel In Angular Deg:

260.0

#### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

85.0 single section

#### **Power Dissipation Rating Per Section In Watts:**

0.25 free air single section

#### **Resistance Tolerance Per Section In Percent:**

-30.0/+30.0 single section

#### **Actuator Travel Control Feature:**

Stops

#### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

40.0 single section

## Standard Taper Curve Per Section:

A single section

### **Terminal Type And Quantity:**

2 tab, solder lug

#### Shelf Life:

N/a

# NSN 5905-01-044-3567

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0