NSN 5905-01-047-7796

Section Quantity:

Precision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-047-7796

1
Body Style:
Rectangular
Reliability Indicator:
Not established
Thread Length:
0.500 inches
Shaft Diameter:
0.250 inches
Shaft Length:
1.000 inches
Body Length:
2.150 inches
Body Width:
1.020 inches
Body Height:
1.020 inches
Shaft Style:
Round, threaded
Actuator Type:
Single shaft
Longitudinal Actuator Travel:
1.062 inches
Longitudinal Actuator Effective Electrical Stroke Length:
1.000 inches
Terminal Location:
Upper adjacent side single row
Mounting Method:
Flange
Electrical Resistance Per Section:
10.0 kilohms single section
Function Conformity Tolerance Per Section:
-1.00/+1.00 single section
Power Dissipation Rating Per Section In Watts:
1.0 free air single section
Function Conformity Per Section:
Single section independent linearity
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Function Characteristic Per Section:
Single section linear

NSN 5905-01-047-7796

Fiig: A002a0

Precision Nonwire Wound Variable Resistor - Page 2 of 2



Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 55.0 single section Special Features: Shaft equipped with 0.250 in. Lg undercut Terminal Type And Quantity: 3 tab, solder lug Shelf Life: N/a Unit Of Measure: --Demilitarization: No