

View Online at <https://aerobasegroup.com/nsn/5905-01-049-2153>

Section Quantity:

2

Body Style:

Rectangular w/tab/flange mounted

Reliability Indicator:

Not established

Thread Length:

0.900 inches

Mounting Hole Diameter:

0.200 inches

Shaft Diameter:

0.190 inches

Shaft Length:

1.540 inches

Body Length:

6.110 inches

Body Width:

0.500 inches

Body Height:

1.930 inches

Shaft Style:

Round, threaded

Actuator Type:

Single shaft

Longitudinal Actuator Travel:

3.99 inches

Longitudinal Actuator Effective Electrical Stroke Length:

3.930 inches

Fragility Factor:

Moderately rugged

Distance Between Mounting Hole Centers:

1.440 inches

Lateral Distance Between Mounting Hole Centers:

5.550 inches

Mounting Facility Quantity:

4

Terminal Location:

Rear end

Mounting Method:

Unthreaded hole

Electrical Resistance Per Section:

5.0 kilohms all sections

Function Conformity Tolerance Per Section:

-1.00/+1.00 all sections

Power Dissipation Rating Per Section In Watts:

0.1 free air all sections

Function Conformity Per Section:

All sections independent linearity

Fixed Tap Quantity Per Section:

1 all sections

Tap Location Tolerance Per Section:

-1.0/+1.0 ohms all sections

Resistance Tolerance Per Section In Percent:

-10.0/+10.0 all sections

Tap Location From Ccw Terminal Per Section In Ohms:

1250.0 all sections

Function Characteristic Per Section:

All sections linear

Ambient Temperature In Deg Celsius Per Section At Full Rated Power:

125.0 all sections

Terminal Type And Quantity:

8 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A002a0