## NSN 5905-01-054-3366

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-054-3366

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:  -5.0/+5.0  Electrical Resistance:  500.000 kilohms  Resistance Tolerance In Percent:  -0.010/+0.010  Ambient Tempurature In Deg Celsius At Full Rated Power:  70.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  145.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Electrical Resistance: 500.000 kilohms  Resistance Tolerance In Percent: -0.010/+0.010  Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0
Resistance Tolerance In Percent: -0.010/+0.010  Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0
-0.010/+0.010  Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0
Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0
70.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0
145.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
+20.0/+70.0
Inclosure Method:
Hermetically sealed
Terminal Type:
Wire lead
Reliability Indicator:
Not established
Terminal Length:
1.500 inches
Body Diameter:
0.260 inches
Body Length:
0.531 inches
Power Dissipation Rating In Watts:
0.333 free air
Style Designator:
Axial terminal each end
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A001a0