

View Online at https://aerobasegroup.com/nsn/5905-01-055-9198

Section	Quantity:

1

Body Style:

Rectangular

**Reliability Indicator:** 

Not established

**Terminal Length:** 

0.180 inches

**Body Length:** 

0.250 inches

**Body Width:** 

0.400 inches

**Body Height:** 

0.440 inches

#### Actuator Type:

Flush drive with slot-hole

### Effective Electrical Rotation In Deg Angular Rotation:

280.0

### **Center To Center Distance Between Terminals:**

0.020 inches

### **End Application:**

Ballistic missile early warning system (bmews), support equipment, b-52, b-1

### **Terminal Location:**

Lower adjacent side two rows

#### **Mounting Method:**

Terminal

## Center To Center Distance Between Terminal Rows:

0.010 inches

## **Features Provided:**

Nonmetallic shaft

**Electrical Resistance Per Section:** 

200.0 kilohms single section

## **Rotary Actuator Travel In Angular Deg:**

310.0

Center To Center Distance Between Center Terminal And Outside Terminal:

0.010 inches

# Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

125.0 single section

# Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-100.0/+100.0 single section

# Power Dissipation Rating Per Section In Watts:

0.5 free air single section



Resistance Tolerance Per Section In Percent:

-10.0/+10.0 single section

# Actuator Travel Control Feature:

Stops

Criticality Code Justification:

Feat

# Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

85.0 single section

Standard Taper Curve Per Section:

A single section

## **Special Features:**

Weapon system essential

# Terminal Type And Quantity:

3 pin

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

# Fiig:

A002a0