NSN 5905-01-061-5810

Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-061-5810

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: -20.0/+20.0 Electrical Resistance: 9.900 kilohms Resistance Tolerance In Percent: -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches Body Length:
Electrical Resistance: 9.900 kilohms Resistance Tolerance In Percent: -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
9.900 kilohms Resistance Tolerance In Percent: -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Resistance Tolerance In Percent: -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
-55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Encapsulated Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Terminal Type: Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Wire lead Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Reactance Characteristic: Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Noninductive Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Reliability Indicator: Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Not established Terminal Length: 1.500 inches Body Diameter: 0.093 inches
Terminal Length: 1.500 inches Body Diameter: 0.093 inches
1.500 inches Body Diameter: 0.093 inches
Body Diameter: 0.093 inches
0.093 inches
Body Length:
0.406 inches
Power Dissipation Rating In Watts:
0.500 free air
Terminal Width:
Between 0.023 inches and 0.027 inches
Cubic Measure (non-core):
0.003 cubic inches
Unpackaged Unit Weight:
0.450 grams
Style Designator:
Axial terminal each end
Test Data Document:
04274-c11620 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Unit Of Measure:

NSN 5905-01-061-5810

Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0