## NSN 5905-01-061-9530

Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-061-9530

| view Offilite at https://defobasegroup.com/his//0300-01-001-3330  |
|---|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
| -20.0/+20.0   |
| Electrical Resistance:  |
| 4.650 kilohms   |
| Resistance Tolerance In Percent:  |
| -1.000/+1.000   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:   |
| 125.0   |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:   |
| 275.0   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:  |
| -55.0/+275.0  |
| Inclosure Method:   |
| Encapsulated  |
| Terminal Type:  |
| Wire lead   |
| Reactance Characteristic:   |
| Inductive   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| 1.500 inches  |
| Body Diameter:  |
| Between 0.078 inches and 0.108 inches   |
| Body Length:  |
| Between 0.375 inches and 0.437 inches   |
| Power Dissipation Rating In Watts:  |
| 0.500 free air  |
| Terminal Width:   |
| Between 0.023 inches and 0.027 inches   |
| Cubic Measure (non-core):   |
| 0.003 cubic inches  |
| Unpackaged Unit Weight:   |
| 0.414 grams   |
| Style Designator:   |
| Axial terminal each end   |
| Test Data Document:   |
| 04274-c11620 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; |
| excludes any specification, standard or other document that may be referenced in a basic governing drawing)                             |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

## NSN 5905-01-061-9530

Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0