Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-064-4034

# Section Quantity:

1

Body Style:

Rectangular

## **Reliability Indicator:**

Not established

### Body Length:

0.156 inches

#### **Body Width:**

0.594 inches

**Body Height:** 

#### 0.735 inches

Actuator Type:

#### Flush drive with slot-hole

#### Effective Electrical Rotation In Deg Angular Rotation:

260.0

#### **Terminal Location:**

Lower adjacent side single row

### Mounting Method:

Terminal

### **Electrical Resistance Per Section:**

3.0 kilohms single section

#### Rotary Actuator Travel In Angular Deg:

260.0

#### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

85.0 single section

### **Power Dissipation Rating Per Section In Watts:**

0.25 free air single section

#### **Resistance Tolerance Per Section In Percent:**

-20.0/+20.0 single section

#### **Actuator Travel Control Feature:**

Stops

## Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

40.0 single section

## Standard Taper Curve Per Section:

A single section

# Terminal Type And Quantity:

3 tab, solder lug

# Shelf Life:

N/a

## Unit Of Measure:

---

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A002a0