Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-069-3824

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-300.0/+300.0

### **Electrical Resistance:**

2.000 kilohms

### **Resistance Tolerance In Percent:**

-5.000/+5.000

# Ambient Tempurature In Deg Celsius At Full Rated Power:

### 70.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

# Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0

### **Inclosure Method:**

Encapsulated

### **Terminal Quantity:**

16

# **Terminal Type:**

Pin

# Reliability Indicator:

Not established

# **Terminal Length:**

0.300 inches

### **Body Length:**

0.375 inches

#### **Body Width:**

0.265 inches

### **Body Height:**

0.075 inches

Schematic Diagram Designator:

Ladder network

**Power Dissipation Rating In Watts:** 

0.350 total network

### **Identical Value Resistor Quantity:**

8 each resistor

### Style Designator:

Flat pack

### **Test Data Document:**

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Specification Data:**

81349-mil-r-83401/3 government specification

# Shelf Life:

N/a

Film Fixed Resistor Network - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A001a0