NSN 5905-01-076-6298

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-076-6298

Section Quantity:					
1					
Body Style:					
Cylindrical bushing mounted					
Reliability Indicator:					
Not established					
Body Diameter:					
1.094 inches					
Shaft Diameter:					
0.250 inches					
Shaft Length:					
1.250 inches					
Mounting Bushing Length:					
0.375 inches					
Body Length:					
0.562 inches					
Shaft Style:					
Round, slotted					
Actuator Type:					
Single shaft					
Screw Thread Diameter:					
0.375 inches					
Screw Thread Series Designator:					
Unef					
Screw Thready Qty Per Inch (tpi):					
32.0					
Terminal Location:					
Radially positioned over less than half the circumference					
Mounting Method:					
Standard bushing					
Features Provided:					
Shaft seal					
Electrical Resistance Per Section:					
50000.000 kilohms single section					
Power Dissipation Rating Per Section In Watts:					
2.0 free air single section					
Resistance Tolerance Per Section In Percent:					
-10.0/+10.0 single section					
Terminal Type And Quantity:					
3 tab, solder lug					
Shelf Life:					

N/a

NSN 5905-01-076-6298

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



	• -			
In	ıŧ	()t	Measure	•

--

Demilitarization:

No

Fiig:

A002a0