NSN 5905-01-077-9678

Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-077-9678

Resistance Tolerance In Percent: -3.000/+3.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Resistance Tolerance In Percent: -3.000/+3.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
100.000 ohms Resistance Tolerance In Percent: -3.000/+3.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter: 0.093 inches
-3.000/+3.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Inclosure Method: Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Encapsulated Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Terminal Type: Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Wire lead Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Reactance Characteristic: Inductive Terminal Length: 1.500 inches Body Diameter:
Inductive Terminal Length: 1.500 inches Body Diameter:
Terminal Length: 1.500 inches Body Diameter:
1.500 inches Body Diameter:
Body Diameter:
0.093 inches
Body Length:
0.531 inches
Power Dissipation Rating In Watts:
1.100 free air
Style Designator:
Axial terminal each end
Test Data Document:
83298-819459 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.,
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A001a0