Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-092-8119

### Section Quantity:

1

Body Style:

Cylindrical bushing mounted

### **Reliability Indicator:**

Not established

#### **Body Diameter:**

0.938 inches

#### Shaft Diameter:

0.250 inches

#### Shaft Length:

0.875 inches

#### Mounting Bushing Length:

0.375 inches

#### Body Length:

### 0.453 inches

Shaft Style:

Round

Actuator Type:

Single shaft

#### Screw Thread Diameter:

0.375 inches

#### Screw Thread Series Designator:

Unef

# Screw Thready Qty Per Inch (tpi):

32.0

# **Terminal Location:**

Radially positioned over less than half the circumference

# Mounting Method:

Locking bushing

# **Electrical Resistance Per Section:**

25.000 kilohms single section

# Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

85.0 single section

# Power Dissipation Rating Per Section In Watts:

0.3 free air single section

# **Resistance Tolerance Per Section In Percent:**

-20.0/+20.0 single section

# Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

55.0 single section

# Terminal Type And Quantity:

3 eyelet

AeroBase Group

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0