Noninductive Wire Wound Fixed Resistor - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5905-01-111-4440

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-10.0/+10.0

#### **Electrical Resistance:**

25.000 kilohms

**Resistance Tolerance In Percent:** 

#### -0.010/+0.010

# Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 125.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

145.0

# Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-65.0/+145.0

# **Inclosure Method:**

Encapsulated

#### **Terminal Type:**

# Wire lead

Reliability Indicator:

#### Established

**Reliability Failure Rate Level In Percent:** 

0.010

#### **Terminal Length:**

1.000 inches

#### Body Diameter:

0.250 inches

# Body Length:

0.312 inches

# **Power Dissipation Rating In Watts:**

0.125 free air

#### Style Designator:

Axial terminals one end

# Test Data Document:

81349-mil-r-39005 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-r-39005/6 government specification

# Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A001a0

