NSN 5905-01-112-7274

Precision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-01-112-7274 **Section Quantity:** 1 **Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** 0.7500 inches Pilot Length: 0.0620 inches **Overall Length:** 1.200 inches **Undercut Diameter:** 0.781 inches **Undercut Width:**

0.0570 inches **Body Diameter:** 0.875 inches

Shaft Diameter: 0.1248 inches **Shaft Length:**

0.500 inches **Body Length:** 0.700 inches

Overall Diameter:

1.250 inches **Mounting Lip Diameter:**

0.8750 inches

Mounting Lip Depth:

0.0620 inches

Shaft Style:

Round

Shaft Bearing Type:

Ball

Actuator Type:

Single shaft

Effective Electrical Rotation In Deg Angular Rotation:

354.0

Maximum Starting Torque:

0.20 inch-ounces

Maximum Running Torque:

0.20 inch-ounces

NSN 5905-01-112-7274

Shaft End Play: 0.005 inches

Precision Wire Wound Variable Resistor - Page 2 of 3



Shaft Runout:
0.0015 inches
Lateral Runout:
0.003 inches
Pilot Diameter Runout:
0.002 inches
Shaft Radial Play:
0.003 inches
Fragility Factor:
Moderately rugged
Terminal Location:
Radially positioned over less than half the circumference
Mounting Method:
Clamp ring
Features Provided:
Humidity proof
Cubic Measure:
0.334 cubic inches
Electrical Resistance Per Section:
40.0 percent, rated amperes c and better flooring
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-0.25/+0.25 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
85.0 single section
Power Dissipation Rating Per Section In Watts:
0.75 7th secondary quality
Function Conformity Per Section:
Single section independent linearity
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
7 oclock all primaries
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-20.0/+20.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
40.0 single section
Terminal Type And Quantity:

3 turret

NSN 5905-01-112-7274

Precision Wire Wound Variable Resistor - Page 3 of 3



Shelf	Life:
N/a	

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0