

View Online at <https://aerobasegroup.com/nsn/5905-01-115-4885>

Section Quantity:

1

Body Style:

Rectangular w/tab/flange mounted

Reliability Indicator:

Not established

Thread Length:

0.938 inches

Overall Length:

19.688 inches

Overall Height:

1.625 inches

Mounting Slot Width:

0.219 inches

Shaft Diameter:

0.250 inches

Shaft Length:

1.000 inches

Body Length:

18.000 inches

Body Width:

1.250 inches

Body Height:

1.625 inches

Shaft Style:

Round, threaded

Actuator Type:

Single shaft

Longitudinal Actuator Travel:

15.000 inches

Longitudinal Actuator Effective Electrical Stroke Length:

15.000 inches

Distance Between Mounting Hole Centers:

1.875 inches

Lateral Distance Between Mounting Hole Centers:

15.000 inches

Mounting Facility Quantity:

4

Terminal Location:

Rear end

Mounting Method:

Slot

Features Provided:

Humidity proof

Electrical Resistance Per Section:

15.0 kilohms single section

Function Conformity Tolerance Per Section:

-0.25/+0.25 single section

Ambient Temperature In Deg Celsius Per Section At Zero Percent Rated Power:

125.0 single section

Temperature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-300.0/+300.0 single section

Power Dissipation Rating Per Section In Watts:

1.0 free air single section

Function Conformity Per Section:

Single section independent linearity

Resistance Tolerance Per Section In Percent:

-10.0/+10.0 single section

Function Characteristic Per Section:

Single section linear

Ambient Temperature In Deg Celsius Per Section At Full Rated Power:

25.0 single section

Test Data Document:

16331-63a104939 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

1 connector, receptacle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0