

View Online at <https://aerobasegroup.com/nsn/5905-01-122-4655>

**Section Quantity:**

1

**Reliability Indicator:**

Not established

**Actuator Type:**

Flush drive with slot-hole

**Effective Electrical Rotation In Deg Angular Rotation:**

290.0

**Maximum Starting Torque:**

7.00 inch-ounces

**Maximum Running Torque:**

7.00 inch-ounces

**Terminal Location:**

Rear end

**Features Provided:**

Grounded contact arm

**Electrical Resistance Per Section:**

220.0 kilohms single section

**Rotary Actuator Travel In Angular Deg:**

290.0

**Temperature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:**

-500.0/+500.0 single section

**Power Dissipation Rating Per Section In Watts:**

0.25 free air single section

**Resistance Tolerance Per Section In Percent:**

-20.0/+20.0 single section

**Actuator Travel Control Feature:**

Stops

**Ambient Temperature In Deg Celsius Per Section At Full Rated Power:**

70.0 single section

**Standard Taper Curve Per Section:**

A single section

**Terminal Type And Quantity:**

2 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A002a0