Nonprecision Nonwire Wound Variable Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-122-5039

# Section Quantity:

1

Body Style:

Cylindrical

**Reliability Indicator:** 

Not established

### Terminal Length:

0.687 inches

**Body Diameter:** 

0.469 inches

**Body Length:** 

0.234 inches

Actuator Type:

Flush drive with slot-hole

Center To Center Distance Between Terminals:

#### 0.250 inches

**Terminal Location:** 

Rear end

### Mounting Method:

Terminal

### **Electrical Resistance Per Section:**

1.0 kilohms single section

### Center To Center Distance Between Center Terminal And Outside Terminal:

0.125 inches

### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

65.0 single section

### Power Dissipation Rating Per Section In Watts:

0.2 free air single section

**Resistance Tolerance Per Section In Percent:** 

-20.0/+20.0 single section

### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

25.0 single section

### **Terminal Type And Quantity:**

3 pin

Shelf Life:

N/a

### Unit Of Measure:

--

## Demilitarization:

No

Fiig:

A002a0