NSN 5905-01-123-5303

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-123-5303

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
|---|
| -90.0/+90.0 |
| Electrical Resistance: |
| 0.050 ohms |
| Resistance Tolerance In Percent: |
| -1.000/+1.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 25.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 275.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0/+275.0 |
| Inclosure Method: |
| Encased |
| Terminal Type: |
| Tab, solder lug |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| 0.410 inches |
| Body Length: |
| 0.750 inches |
| Body Width: |
| 0.420 inches |
| Body Height: |
| 0.390 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 0.560 inches |
| Power Dissipation Rating In Watts: |
| 10.000 free air |
| Terminal Width: |
| 0.085 inches |
| Mounting Hole Size: |
| 0.170 inches |
| Style Designator: |
| Axial terminal (s) |
| Test Data Document: |
| 31467-100bs7-130 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, |
| etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

NSN 5905-01-123-5303

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



| _ | | •• | • • | | | | |
|----|----|----|-----|-----|-----|---|----|
| וו | em | ш | 112 | rız | 211 | n | ٠. |
| | | | | | | | |

No

Fiig:

A001a0