NSN 5905-01-125-1987

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-125-1987 **Section Quantity: Reliability Indicator:** Not established **Shaft Length:** 1.125 inches **Shaft Style:** Round **Shaft Bearing Type:** Bearing Switch Type: Rotary **Actuator Type:** Single shaft **Maximum Starting Torque:** 5.00 inch-ounces **Maximum Running Torque:** 5.00 inch-ounces **Maximum Stop Torque:** 50.00 inch-ounces **Switch Operating Position:** Start of rotation **Switch Contact Arrangement:** Single pole, double throw, three positions maintained **Terminal Location:** Rear-bottom **Mounting Method:** Tab **Features Provided:** Switch **Electrical Resistance Per Section:** 10.0 kilohms single section **Resistance Tolerance Per Section In Percent:** -30.0/+30.0 single section **Switch Current Type And Rating In Amps:** 3.000 ac/dc **Terminal Type And Quantity:** 6 tab, solder lug Shelf Life:

--

N/a

Unit Of Measure:

NSN 5905-01-125-1987

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Der	nilit	ariz	atio	n:

No

Fiig:

A002a0