Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-126-3632

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0/+100.0

### **Electrical Resistance:**

1.200 kilohms

**Resistance Tolerance In Percent:** 

-2.000/+2.000

### Ambient Tempurature In Deg Celsius At Full Rated Power:

### 70.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

# Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0

### **Inclosure Method:**

Encapsulated

### **Terminal Quantity:**

8

# **Terminal Type:**

Pin

# **Reliability Indicator:**

Not established

# **Terminal Length:**

Between 0.125 inches and 0.150 inches

# **Body Length:**

0.783 inches

#### Body Width:

0.089 inches

# **Body Height:**

Between 0.332 inches and 0.350 inches

# Schematic Diagram Designator:

Ladder network

**Power Dissipation Rating In Watts:** 

1.700 total network

# **Identical Value Resistor Quantity:**

7 each resistor

# Style Designator:

Single inline

# **Test Data Document:**

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Specification Data:**

81349-mil-r-83401/5 government specification

# Shelf Life:

N/a

Film Fixed Resistor Network - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A001a0