NSN 5905-01-130-3873

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-130-3873

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
|---|
| -300.0/+300.0 |
| Electrical Resistance: |
| 4.700 kilohms |
| Resistance Tolerance In Percent: |
| -2.000/+2.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 70.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 125.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0/+125.0 |
| Inclosure Method: |
| Encapsulated |
| Terminal Quantity: |
| 14 |
| Terminal Type: |
| Pin |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| Between 0.250 inches and 0.350 inches |
| Body Length: |
| 0.265 inches |
| Body Width: |
| Between 0.365 inches and 0.385 inches |
| Body Height: |
| 0.075 inches |
| Schematic Diagram Designator: |
| Ladder network |
| Power Dissipation Rating In Watts: |
| 0.325 total network |
| Identical Value Resistor Quantity: |
| 13 each resistor |
| Precious Material And Location: |
| Terminals surface gold |
| Style Designator: |
| Flat pack |
| Test Data Document: |
| 82577-955230 standard (includes industry or association standards, individual manufactureer standards, etc.). |
| Shelf Life: |
| N/a |

NSN 5905-01-130-3873

Film Fixed Resistor Network - Page 2 of 2



| | | • • | | | |
|---|----|-----|-------------|----------|--|
| ш | ın | 10 | <i>(</i>)+ | Measure: | |
| | | | | | |

--

Demilitarization:

No

Fiig:

A001a0