NSN 5905-01-133-3421

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-133-3421

| Towns and the Conflicted Of Projector on the Post Post Post College |
|---|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
| -250.0/+250.0 |
| Electrical Resistance: |
| 7.500 kilohms |
| Resistance Tolerance In Percent: |
| -2.000/+2.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 70.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 150.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0/+150.0 |
| Inclosure Method: |
| Encapsulated |
| Terminal Quantity: |
| 10 |
| Terminal Type: |
| Pin |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| 0.125 inches |
| Body Length: |
| 0.875 inches |
| Body Width: |
| 0.125 inches |
| Body Height: |
| 0.375 inches |
| Schematic Diagram Designator: |
| Ladder network |
| Power Dissipation Rating In Watts: |
| 0.125 each resistor |
| Identical Value Resistor Quantity: |
| 9 each resistor |
| Unpackaged Unit Weight: |
| 1.000 grams |
| Style Designator: |
| Single inline |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 5905-01-133-3421

Film Fixed Resistor Network - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0