Noninductive Wire Wound Fixed Resistor - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5905-01-134-1143

## Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-20.0/+20.0

### **Electrical Resistance:**

495.000 kilohms

**Resistance Tolerance In Percent:** 

-0.100/+0.100

### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 125.0

## Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

145.0

## Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-65.0/+145.0

#### **Inclosure Method:**

Encapsulated

#### Terminal Type:

## Tab, solder lug

Reliability Indicator:

### Not established

## Terminal Length:

0.375 inches

## **Body Diameter:**

0.562 inches

#### Body Length:

1.000 inches

## **Power Dissipation Rating In Watts:**

0.500 free air

#### **Terminal Width:**

0.188 inches

#### Style Designator:

Radial terminal each end

# Test Data Document:

81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-r-93/4 government specification

# Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A001a0

