Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-138-6274

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-300.0/+300.0

## **Electrical Resistance:**

2.000 kilohms

# **Resistance Tolerance In Percent:**

-1.000/+1.000

## Ambient Tempurature In Deg Celsius At Full Rated Power:

## 70.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

# Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0

## **Inclosure Method:**

Encapsulated

## **Terminal Quantity:**

14

# **Terminal Type:**

Tab, solder lug

# Reliability Indicator:

Not established

# Terminal Length:

Between 0.145 inches and 0.215 inches

# Body Length:

0.740 inches

#### Body Width:

Between 0.240 inches and 0.305 inches

#### **Body Height:**

0.135 inches

Schematic Diagram Designator:

Isolated array

#### **Power Dissipation Rating In Watts:**

1.400 total network

# Terminal Width:

Between 0.015 inches and 0.022 inches

# Identical Value Resistor Quantity:

7 each resistor

# Style Designator:

Dual inline

#### **Test Data Document:**

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Specification Data:**

81349-mil-r-83401/2 government specification

# NSN 5905-01-138-6274

Film Fixed Resistor Network - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A001a0