## NSN 5905-01-138-9518

Nonprecision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-01-138-9518 **Section Quantity:** 1 **Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Overall Length:** 2.065 inches **Body Diameter:** 1.220 inches **Shaft Diameter:** 0.250 inches **Shaft Length:** 0.875 inches **Mounting Bushing Length:** 0.375 inches **Body Length:** 0.910 inches **Overall Diameter:** 1.750 inches **Shaft Style:** Round, slotted **Shaft Bearing Type:** Sleeve Switch Type: Rotary **Switch Voltage Rating In Volts:** 117.0 **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** Between 220.0 and 285.0 **Maximum Starting Torque:** 21.00 inch-ounces **Maximum Running Torque:** 21.00 inch-ounces **Maximum Stop Torque:** 128.00 inch-ounces

At 9 oclock

**Nonturn Device Radius:** 

**Nonturn Device Location:** 

0.531 inches

## NSN 5905-01-138-9518

Nonprecision Wire Wound Variable Resistor - Page 2 of 3



Switch Operating Position:
Start of rotation
Switch Contact Arrangement:
Double pole, single throw, normally open
Fragility Factor:
Moderately rugged
Screw Thread Diameter:
0.375 inches
Screw Thread Series Designator:
Unef
Screw Thready Qty Per Inch (tpi):
32.0
Terminal Location:
Rear-bottom
Mounting Method:
Standard bushing
Features Provided:
Switch
Electrical Resistance Per Section:
20.0 ohms single section
Rotary Actuator Travel In Angular Deg:
Between 200.0 and 305.0
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
105.0 single section
Power Dissipation Rating Per Section In Watts:
2.0 free air single section
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Actuator Travel Control Feature:
Stops
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-20.0/+20.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
40.0 single section
Switch Current Type And Rating In Amps:
3.000 ac
Standard Taper Curve Per Section:
A single section
Terminal Type And Quantity:
7 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

-

## NSN 5905-01-138-9518

Nonprecision Wire Wound Variable Resistor - Page 3 of 3



Demilitarization:

No

Fiig:

A002a0