NSN 5905-01-156-7378

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-156-7378

Section Quantity:
2
Body Style:
Cylindrical servo mounted
Reliability Indicator:
Not established
Pilot Diameter:
1.3290 inches
Pilot Length:
0.0610 inches
Undercut Diameter:
1.250 inches
Undercut Width:
0.0950 inches
Body Diameter:
1.375 inches
Shaft Diameter:
0.250 inches
Shaft Length:
1.125 inches
Body Length:
1.437 inches
Mounting Lip Diameter:
1.3750 inches
Mounting Lip Depth:
0.0610 inches
Shaft Style:
Round
Actuator Type:
Single shaft
Terminal Location:
Radially positioned over more than half the circumference
Mounting Method:
Shaft and snap spring
Electrical Resistance Per Section:
20.0 kilohms all sections
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 all sections
Power Dissipation Rating Per Section In Watts:
2.0 free air all sections
Resistance Tolerance Per Section In Percent:

-10.0/+10.0 all sections

NSN 5905-01-156-7378

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
70.0 all sections
Terminal Type And Quantity:
8 turret
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0