NSN 5905-01-159-3881

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-159-3881 **Section Quantity:** 1 **Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Shaft Diameter:** 0.125 inches **Shaft Length:** 1.125 inches **Mounting Bushing Length:** 0.250 inches **Shaft Style:** Round Switch Type: Rotary **Actuator Type:** Single shaft **Nonturn Device Location:** At 3 oclock and at 9 oclock **Switch Operating Position:** Start of rotation **Fragility Factor:** Moderately rugged **Mounting Method:** Standard bushing **Features Provided:** Switch **Electrical Resistance Per Section:** 50.0 kilohms single section **Power Dissipation Rating Per Section In Watts:** 1.0 free air single section **Resistance Tolerance Per Section In Percent:** -10.0/+10.0 single section Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 70.0 single section **Standard Taper Curve Per Section:** A single section **Special Features:** Switch 4pst-nc-no

N/a

Shelf Life:

NSN 5905-01-159-3881

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



		• -						
	In		Of	RЛ	മാ	CI	ır	Δ.
L	,,,			IVI	ca			

--

Demilitarization:

No

Fiig:

A002a0