NSN 5905-01-162-0716

Film Fixed Resistor - Page 1 of 1

Mil-std (military Standard):

Mil-prf-39017 spec.



View Online at https://aerobasegroup.com/nsn/5905-01-162-0716

view Online at https://aerobasegroup.com/nsn/5905-01-162-0716
Electrical Resistance:
51.000 kilohms
Resistance Tolerance In Percent:
2.000/+2.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
50.0
nclosure Method:
Encapsulated
Ferminal Type:
Vire lead
Reliability Indicator:
Established
Reliability Failure Rate Level In Percent:
0.001
Ferminal Length:
.250 inches
Body Diameter:
0.066 inches
Body Length:
0.150 inches
Power Dissipation Rating In Watts:
0.125 free air
Nuclear Hardness Critical Feature:
Hardened
Style Designator:
Axial terminal each end
Test Data Document:
31349-mil-prf-39017 specification specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in
specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on
certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
31349-mil-prf-39017/5 government specification government specification
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No.
Filg:
0.001 = 0