

View Online at <https://aerobasegroup.com/nsn/5905-01-165-0667>

Section Quantity:

1

Body Style:

Cylindrical friction mounted

Reliability Indicator:

Not established

Thread Length:

0.250 inches

Body Diameter:

0.750 inches

Shaft Diameter:

0.250 inches

Shaft Length:

0.500 inches

Body Length:

12.020 inches

Shaft Style:

Round, threaded

Actuator Type:

Single shaft

Longitudinal Actuator Travel:

7.875 inches

Longitudinal Actuator Effective Electrical Stroke Length:

7.875 inches

Fragility Factor:

Moderately rugged

Terminal Location:

Rear end

Mounting Method:

Clamp

Features Provided:

Humidity proof

Electrical Resistance Per Section:

8.0 percent, rated amperes c and better flooring

Function Conformity Tolerance Per Section:

-0.25/+0.25 single section

Ambient Temperature In Deg Celsius Per Section At Zero Percent Rated Power:

85.0 single section

Temperature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-125.0/+125.0 single section

Power Dissipation Rating Per Section In Watts:

0.02 7th secondary quality

Function Conformity Per Section:

Single section independent linearity

Resistance Tolerance Per Section In Percent:

-10.0/+10.0 single section

Function Characteristic Per Section:

7 oclock all primaries

Ambient Temperature In Deg Celsius Per Section At Full Rated Power:

20.0 single section

Special Features:

Eyelet extension on shaft

Terminal Type And Quantity:

3 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0