## NSN 5905-01-165-5208

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-165-5208

### Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0 to 100.0

**Electrical Resistance:** 

220.000 kilohms

**Resistance Tolerance In Percent:** 

-2.000 to 2.000

Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 70.0

- Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
- 150.0
- Tempurature Range Of Tempurature Coefficient In Deg Celsius:
- -55.0 to 150.0
- **Inclosure Method:**
- Encapsulated
- **Terminal Type:**
- Wire lead
- Reliability Indicator:
- Established
- Reliability Failure Rate Level In Percent:

0.001

- **Terminal Length:**
- 1.250 inches
- **Body Diameter:**
- 0.066 inches
- Body Length:
- 0.150 inches
- **Power Dissipation Rating In Watts:**
- 0.125 free air
- **Nuclear Hardness Critical Feature:**

Hardened

**Unpackaged Unit Weight:** 

0.300 grams

#### Style Designator:

Axial terminal each end

#### **Test Data Document:**

81349-mil-r-39017 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-r-39017/5 government specification

Shelf Life:

N/a

# NSN 5905-01-165-5208

Film Fixed Resistor - Page 2 of 2

Demilitarization:

No

Fiig:

A001a0

