NSN 5905-01-171-5660

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-171-5660

Townsections On Afficient Of Presistance In President				
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:				
-300.0/+300.0				
Electrical Resistance:				
2.000 kilohms				
Resistance Tolerance In Percent:				
-0.100/+0.100				
Ambient Tempurature In Deg Celsius At Full Rated Power:				
70.0				
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:				
125.0				
Tempurature Range Of Tempurature Coefficient In Deg Celsius:				
-55.0/+125.0				
Inclosure Method:				
Encapsulated				
Terminal Quantity:				
16				
Terminal Type:				
Tab, solder lug				
Reliability Indicator:				
Not established				
Terminal Length:				
0.135 inches				
Body Length:				
0.830 inches				
Body Width:				
0.270 inches				
Body Height:				
0.200 inches				
Schematic Diagram Designator:				
Isolated array				
Power Dissipation Rating In Watts:				
1.600 total network				
Terminal Width:				
0.022 inches				
Identical Value Resistor Quantity:				
8 each resistor				
Unpackaged Unit Weight:				
3.200 grams				
Style Designator:				
Dual inline				
Test Data Document:				
04240 mil v 02404 on addication (includes application type bullating by about a start that reflect an addication type data in a self-cities				

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5905-01-171-5660

Film Fixed Resistor Network - Page 2 of 2



Spec	cific	ation	Data:
------	-------	-------	-------

81349-mil-r-83401/2 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0