Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-174-5599

# Section Quantity:

1

Body Style:

Rectangular

## Reliability Indicator:

Not established

### Terminal Length:

0.300 inches

#### Shaft Diameter:

0.085 inches

Shaft Length:

0.050 inches

Body Length:

#### 0.410 inches

Body Width:

# 0.150 inches

**Body Height:** 

0.375 inches

### Shaft Style:

Round, slotted

#### Actuator Type:

Single shaft

#### Maximum Starting Torque:

5.00 inch-ounces

#### Maximum Running Torque:

5.00 inch-ounces

#### **Center To Center Distance Between Terminals:**

0.200 inches

#### **Terminal Location:**

Rear end

#### **Mounting Method:**

Terminal

#### **Electrical Resistance Per Section:**

100.000 kilohms single section

#### Center To Center Distance Between Center Terminal And Outside Terminal:

0.100 inches

### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

150.0 single section

# Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-100.0/+100.0 single section

# Power Dissipation Rating Per Section In Watts:

0.5 free air single section



### **Resistance Tolerance Per Section In Percent:**

-10.0/+10.0 single section

### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

85.0 single section

## Terminal Type And Quantity:

3 pin

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

No

### Fiig:

A002a0