NSN 5905-01-175-9263

Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-175-9263

| view Offilite at https://aerobasegroup.com/hsi//0900-01-1/10-9200 |
|---|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
| -5.0/+5.0 |
| Electrical Resistance: |
| 10.000 kilohms |
| Resistance Tolerance In Percent: |
| -1.000/+1.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 125.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 145.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| +0.0/+70.0 |
| Inclosure Method: |
| Encapsulated |
| Terminal Type: |
| Wire lead |
| Reactance Characteristic: |
| Inductive |
| Reliability Indicator: |
| Established |
| Reliability Failure Rate Level In Percent: |
| 0.100 |
| Terminal Length: |
| 1.000 inches |
| Body Diameter: |
| 0.160 inches |
| Body Length: |
| 0.325 inches |
| Power Dissipation Rating In Watts: |
| 0.100 free air |
| Terminal Width: |
| 0.020 inches |
| Special Features: |
| Selected from 5905011277538 |
| Style Designator: |
| Radial terminal each end |
| Test Data Document: |
| 99167-5007592-35 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, |
| etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

__

NSN 5905-01-175-9263

Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0