## NSN 5905-01-177-2014

Film Fixed Resistor - Page 1 of 2

No



View Online at https://aerobasegroup.com/nsn/5905-01-177-2014

Tempurature Coefficient Of Peciatones In Pam Per Dea Coloius
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-100.0 to 100.0
Electrical Resistance: 274.000 ohms
Resistance Tolerance In Percent:
-1.000 to 1.000  Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
150.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0 to 150.0
Inclosure Method:
Encapsulated  Terminal Types
Terminal Type:
Wire lead
Reliability Indicator:  Established
Reliability Failure Rate Level In Percent: 0.001
Terminal Length:
1.500 inches
Body Diameter:
0.090 inches
Body Length:
0.250 inches  Power Discination Beting In Wetter
Power Dissipation Rating In Watts:
0.250 free air  Unpackaged Unit Weight:
0.500 grams Style Perigneter
Style Designator:  Avial terminal each and
Axial terminal each end Test Pote Posyments
<b>Test Data Document:</b> 81349-mil-r-39017 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data in specification
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-r-39017/1 government specification
Shelf Life:
N/a
Unit Of Measure:
onit of measure.
Demilitarization:

## NSN 5905-01-177-2014

Film Fixed Resistor - Page 2 of 2



Fiig:

A001a0