## NSN 5905-01-179-5251

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-179-5251

| Towns and the Conflicted Of Projector on the Post Post Post College |
|---|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:       |
| -150.0/+150.0   |
| Electrical Resistance:  |
| 20.000 kilohms  |
| Resistance Tolerance In Percent:                                    |
| -1.000/+1.000   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:             |
| 70.0  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:     |
| 125.0   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:        |
| -55.0/+125.0  |
| Inclosure Method:   |
| Encapsulated  |
| Terminal Quantity:  |
| 16  |
| Terminal Type:  |
| Tab, solder lug   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| 0.125 inches  |
| Body Length:  |
| 0.800 inches  |
| Body Width:   |
| 0.240 inches  |
| Body Height:  |
| 0.080 inches  |
| Schematic Diagram Designator:                                       |
| Series network  |
| Power Dissipation Rating In Watts:                                  |
| 1.000 total network   |
| Terminal Width:   |
| 0.020 inches  |
| Identical Value Resistor Quantity:                                  |
| 7 lowest resistance value   |
| Style Designator:   |
| Dual inline   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 5905-01-179-5251

Film Fixed Resistor Network - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0