Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-179-7142

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

+0.0/+650.0

#### **Electrical Resistance:**

0.150 ohms

## **Resistance Tolerance In Percent:**

-0.500/+0.500

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 25.0

## Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

275.0

## Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+275.0

## **Inclosure Method:**

Encapsulated

#### **Terminal Type:**

Wire lead

**Reliability Indicator:** 

# Established

**Reliability Failure Rate Level In Percent:** 

0.001

## **Terminal Length:**

1.500 inches

## **Body Diameter:**

Between 0.281 inches and 0.343 inches

## **Body Length:**

Between 0.813 inches and 0.937 inches

## **Power Dissipation Rating In Watts:**

7.000 free air

## Cubic Measure (non-core):

0.067 cubic inches

## **Unpackaged Unit Weight:**

5.0 grams

#### Style Designator:

Axial terminal each end

## **Test Data Document:**

81349-mil-r-39007 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-39007/10 government specification

# Shelf Life:

N/a

# Unit Of Measure:



Demilitarization:

No

Fiig:

A001a0