Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-183-9253

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-50.0 to 50.0

## **Electrical Resistance:**

2.150 ohms

# **Resistance Tolerance In Percent:**

-1.000 to 1.000

## Ambient Tempurature In Deg Celsius At Full Rated Power:

## 25.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

275.0

# Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0 to 275.0

## **Inclosure Method:**

Encapsulated

#### **Terminal Type:**

# Wire lead

## **Reactance Characteristic:**

Inductive

# Reliability Indicator:

Established

# **Reliability Failure Rate Level In Percent:**

0.001

#### **Terminal Length:**

1.500 inches

# **Body Diameter:**

0.312 inches

# Body Length:

0.875 inches

**Power Dissipation Rating In Watts:** 

7.000 free air

### Unpackaged Unit Weight:

5.000 grams

#### Style Designator:

Axial terminal each end

# Test Data Document:

81349-mil-prf-39007 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Specification Data:**

81349-mil-prf-39007/10 government specification

## Shelf Life:

N/a

## Unit Of Measure:

# NSN 5905-01-183-9253

Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-39007 spec.