## NSN 5905-01-185-9346

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-185-9346

lsius:

-100.0/+100.0 first temp coefficient

**Electrical Resistance:** 

130,000 ohms each resistor

**Resistance Tolerance In Percent:** 

-2.000/+2.000 each resistor

Ambient Tempurature In Deg Celsius At Full Rated Power:

70.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

150.0

**Tempurature Range Of Tempurature Coefficient In Deg Celsius:** 

-55.0/+150.0 temp range of first temp coefficient

**Inclosure Method:** 

Encapsulated

**Terminal Type:** 

Wire lead

Mil-std-1276 Wire Lead Type Designator:

С

**Reliability Indicator:** 

Established

Reliability Failure Rate Level In Percent:

0.001

**Terminal Length:** 

1.500 inches

**Body Diameter:** 

0.190 inches

**Body Length:** 

0.562 inches

**Power Dissipation Rating In Watts:** 

1.000 free air

**Special Features:** 

Cubic measure is 0.008 cubic inches

**Unpackaged Unit Weight:** 

1.500 grams

**Style Designator:** 

Axial terminal each end

**Test Data Document:** 

81349-mil-r-39017 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:** 

81349-mil-r-39017/3 government specification

Shelf Life:

N/a

## NSN 5905-01-185-9346

Film Fixed Resistor - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A001a0