NSN 5905-01-192-7295

-200.0/+200.0

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-192-7295

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

| Electrical Resistance: |
|---|
| 1.000 kilohms |
| Resistance Tolerance In Percent: |
| -2.000/+2.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 70.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 125.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0/+125.0 |
| Inclosure Method: |
| Encapsulated |
| Terminal Quantity: |
| 8 |
| Terminal Type: |
| Pin |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| 0.280 inches |
| Body Length: |
| 0.800 inches |
| Body Width: |
| 0.080 inches |
| Body Height: |
| 0.250 inches |
| Schematic Diagram Designator: |
| Ladder network |
| Power Dissipation Rating In Watts: |
| 0.700 total network |
| Identical Value Resistor Quantity: |
| 7 each resistor |
| Style Designator: |
| Single inline |
| Test Data Document: |
| 03640-6133695 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; |
| excludes any specification, standard or other document that may be referenced in a basic governing drawing) |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| <u>-</u> |

NSN 5905-01-192-7295

Film Fixed Resistor Network - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0