NSN 5905-01-192-8857

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-192-8857

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-100.0/+100.0
Electrical Resistance:
2.870 kilohms
Resistance Tolerance In Percent:
-1.000/+1.000 Ambient Tempurature In Dea Coleius At Full Reted Bowers
Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+150.0
Inclosure Method:
Encapsulated Towning LT was
Terminal Type:
Wire lead
Mil-std-1276 Wire Lead Type Designator:
C Reliability Indicators
Reliability Indicator:
Established Reliability Feilure Retail evel in Bereent
Reliability Failure Rate Level In Percent:
0.001
Terminal Length:
1.500 inches
Body Diameter:
0.190 inches
Body Length:
0.562 inches
Power Dissipation Rating In Watts:
1.000 free air
Unpackaged Unit Weight:
1.500 grams
Test Data Document:
81349-mil-r-39017 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-r-39017/3 government specification
Shelf Life:
N/a
Unit Of Measure:
Domilitarization.
Demilitarization:

No

NSN 5905-01-192-8857

Film Fixed Resistor - Page 2 of 2



Fiig:

A001a0