NSN 5905-01-201-0280

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-201-0280

Section Quantity:				
Section Quantity:				
Body Style:				
Rectangular				
Reliability Indicator: Not established				
Terminal Length:				
0.300 inches				
Shaft Diameter:				
0.075 inches				
Shaft Length:				
0.080 inches				
Body Length:				
0.420 inches				
Body Width:				
0.170 inches				
Body Height:				
0.375 inches				
Shaft Style:				
Round, slotted				
Actuator Type:				
Single shaft				
Center To Center Distance Between Terminals:				
0.200 inches				
Terminal Location:				
Lower adjacent side single row				
Mounting Method:				
Terminal				
Electrical Resistance Per Section:				
0.020 megohms single section				
Center To Center Distance Between Center Terminal And Outside Terminal:				
0.100 inches				
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:				
150.0 single section				
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:				
-100.0/+100.0 single section				
Power Dissipation Rating Per Section In Watts:				
0.5 free air single section				
Resistance Tolerance Per Section In Percent:				
-10.0/+10.0 single section				
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:				

85.0 single section

NSN 5905-01-201-0280

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Test Data Document:

81349-mil-r-39035 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal	Type A	And C	Quantity:
----------	--------	-------	-----------

3 pin

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0