NSN 5905-01-211-6042

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-211-6042

Section Quantity:
1
Body Style: Rectangular w/mounting holes
Reliability Indicator:
Not established
Terminal Length: 0.500 inches
Mounting Slot Width:
0.078 inches
Shaft Diameter:
0.096 inches
Shaft Length:
0.028 inches
Body Length:
0.500 inches
Body Width:
0.192 inches
Body Height:
0.500 inches
Actuator Type:
Single shaft Center To Center Distance Between Terminals:
0.200 inches
Lateral Distance Between Mounting Hole Centers:
Between 0.520 inches and 0.526 inches
Mounting Facility Quantity:
2
Terminal Location:
Lower adjacent side single row
Mounting Method:
Terminal and unthreaded hole
Electrical Resistance Per Section:
50.000 kilohms single section
Center To Center Distance Between Center Terminal And Outside Terminal:
0.100 inches
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-50.0 to 50.0 single section
Power Dissipation Rating Per Section In Watts:
1.0 free air single section
Resistance Tolerance Per Section In Percent:

-5.0 to 5.0 single section

NSN 5905-01-211-6042

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Standard Taper Curve Per Section:
A single section
Terminal Type And Quantity:
3 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A002a0