NSN 5905-01-211-6643

Film Fixed Resistor Network - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5905-01-211-6643 |
|-----------------------------------------------------------------|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
| -300.0 to 300.0 first temp coefficient |
| Electrical Resistance: |
| 1.000 kilohms highest resistance value |
| Resistance Tolerance In Percent: |
| -5.000 to 5.000 lowest resistance value |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 70.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 125.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0 to 125.0 temp range of first temp coefficient |
| Inclosure Method: |
| Encapsulated |
| Terminal Quantity: |
| 16 |
| Terminal Type: |
| Tab, solder lug |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| Between 0.100 inches and 0.120 inches |
| Body Length: |
| Between 0.840 inches and 0.855 inches |
| Body Width: |
| 0.250 inches |
| Body Height: |
| 0.102 inches |
| Power Dissipation Rating In Watts: |
| 0.250 total network |
| Identical Value Resistor Quantity: |
| 7 lowest resistance value |
| Style Designator: |
| Dual inline |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

Fiig:

A001a0