Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-214-4113

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-200.0 to 200.0 first temp coefficient

Electrical Resistance:

20.000 kilohms highest resistance value

Resistance Tolerance In Percent:

-1.000 to 1.000 each resistor

Ambient Tempurature In Deg Celsius At Full Rated Power:

70.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

150.0

Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0 to 150.0 temp range of first temp coefficient

Inclosure Method:

Encapsulated

Terminal Quantity:

3

Terminal Type:

```
Pin
```

Reliability Indicator:

Established

Reliability Failure Rate Level In Percent:

0.000

Terminal Length:

0.875 inches

Body Length:

0.310 inches

Body Width:

0.110 inches

Body Height:

0.340 inches

Schematic Diagram Designator:

Series network

Power Dissipation Rating In Watts:

0.200 total network

Identical Value Resistor Quantity:

1 highest resistance value

Special Features:

Burn-in required on all networks acquired

Unpackaged Unit Weight:

1.0 grams

Style Designator:

Single inline

NSN 5905-01-214-4113

Film Fixed Resistor Network - Page 2 of 2



Test Data Document:

94756-443-1650 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A001a0