NSN 5905-01-216-8522

Precision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-01-216-8522 **Section Quantity:** 1 **Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Overall Length:** 1.562 inches **Body Diameter:** 0.906 inches **Shaft Diameter:** 0.125 inches **Shaft Length:** 0.781 inches **Mounting Bushing Length:** 0.250 inches **Body Length:** 0.750 inches **Overall Diameter:** 1.250 inches **Shaft Style:** Round **Shaft Bearing Type:** Sleeve **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 330.0 **Maximum Starting Torque:** 4.50 inch-ounces **Maximum Running Torque:** 4.50 inch-ounces **Maximum Stop Torque:** 8.00 inch-ounces **Nonturn Device Location:** At 12 oclock **Nonturn Device Radius:** 0.248 inches **Shaft End Play:** 0.00500 inches

Shaft Runout: 0.002 inches

NSN 5905-01-216-8522

Lateral Runout:

Precision Wire Wound Variable Resistor - Page 2 of 3



0.002 inches
Pilot Diameter Runout:
0.001 inches
Shaft Radial Play:
0.002 inches
Mechanical Backlash In Deg Angular Rotation:
0.1
End Application:
Ahrs
Screw Thread Diameter:
0.250 inches
Screw Thread Series Designator:
Unef
Screw Thready Qty Per Inch (tpi):
32.0
Terminal Location:
Radially positioned over less than half the circumference
Mounting Method:
Standard bushing
Electrical Resistance Per Section:
10.0 ohms single section
Rotary Actuator Travel In Angular Deg:
335.0
Function Conformity Tolerance Per Section:
-0.0075 to 0.0075 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 single section
Power Dissipation Rating Per Section In Watts:
1.25 free air single section
Function Conformity Per Section:
Single section independent linearity
Resistance Tolerance Per Section In Percent:
-3.0 to 3.0 single section
Actuator Travel Control Feature:
Stops
Function Characteristic Per Section:
Single section linear
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-30.0 to 30.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
70.0 single section

3 turret

Terminal Type And Quantity:

NSN 5905-01-216-8522

Precision Wire Wound Variable Resistor - Page 3 of 3



N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0