NSN 5905-01-217-0650

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-217-0650 **Section Quantity:** 1 **Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Body Diameter:** 1.100 inches **Shaft Diameter:** 0.250 inches **Shaft Length:** 0.880 inches **Mounting Bushing Length:** 0.380 inches **Body Length:** 0.590 inches **Shaft Style:** Round, slotted **Shaft Bearing Type:** Sleeve **Actuator Type:** Single shaft **Fragility Factor:** Moderately rugged **Screw Thread Diameter:** 0.380 inches **Screw Thread Series Designator:** Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** Radially positioned over less than half the circumference **Mounting Method:** Standard bushing **Features Provided:**

Humidity proof

Electrical Resistance Per Section:

1.5 kilohms single section

Special Features:

Wire leads attached to tab terminals

Terminal Type And Quantity:

2 wire lead

NSN 5905-01-217-0650

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A002a0