NSN 5905-01-218-9562

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-218-9562

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
|--|
| -100.0 to 100.0 |
| Electrical Resistance: |
| 3.570 kilohms |
| Resistance Tolerance In Percent: |
| -1.000 to 1.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 125.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 175.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0 to 175.0 |
| Inclosure Method: |
| Encapsulated |
| Terminal Type: |
| Wire lead |
| Mil-std-1276 Wire Lead Type Designator: |
| C |
| Reliability Indicator: |
| Established |
| Reliability Failure Rate Level In Percent: |
| 1.000 |
| Terminal Length: |
| 1.500 inches |
| Body Diameter: |
| 0.109 inches |
| Body Length: |
| 0.250 inches |
| Power Dissipation Rating In Watts: |
| 0.100 free air |
| Criticality Code Justification: |
| Zzzy |
| Unpackaged Unit Weight: |
| 0.3 grams |
| Style Designator: |
| Axial terminal each end |
| Reference Number Differentiating Characteristics: |
| Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

NSN 5905-01-218-9562

Film Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0