## NSN 5905-01-219-1920

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-219-1920
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-250.0 to 250.0 first temp coefficient
Electrical Resistance:
20.000 kilohms each resistor
Resistance Tolerance In Percent:
-2.000 to 2.000 each resistor
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
125.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0 to 125.0 temp range of first temp coefficient
Inclosure Method:
Encapsulated
Terminal Quantity:
16
Terminal Type:
Pin
Reliability Indicator:
Not established
Terminal Length:
Between 0.125 inches and 0.150 inches
Body Length:
Between 0.784 inches and 0.876 inches
Body Width:
Between 0.240 inches and 0.305 inches
Body Height:
0.135 inches
Schematic Diagram Designator:
Ladder network
Power Dissipation Rating In Watts:
1.500 total network
Err Default:
Between 0.015 inches and 0.022 inches
End Application:
Blade control
Identical Value Resistor Quantity:
14 each resistor
Style Designator:
Dual inline

N/a

Shelf Life:

## NSN 5905-01-219-1920

Film Fixed Resistor Network - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A001a0