NSN 5905-01-221-8077

Film Fixed Resistor Network - Page 1 of 2



View Online of https://gorobacagroup.com/pap/E00E.04.224.9077
View Online at https://aerobasegroup.com/nsn/5905-01-221-8077
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-50.0 to 50.0 first temp coefficient
Electrical Resistance:
240.000 kilohms highest resistance value
Resistance Tolerance In Percent:
-1.000 to 1.000 each resistor
Ambient Tempurature In Deg Celsius At Full Rated Power:
125.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
25.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0 to 125.0 temp range of first temp coefficient
Inclosure Method:
Encapsulated
Terminal Quantity:
16
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
0.140 inches
Body Length:
0.896 inches
Body Width:
0.280 inches
Body Height:
0.185 inches
Schematic Diagram Designator:
Series network
Power Dissipation Rating In Watts:
0.500 total network
Err Default:
Between 0.014 inches and 0.026 inches
End Application:
Efes computer
Identical Value Resistor Quantity:
4 lowest resistance value
Special Features:

Dual inline

Burn-in test

Style Designator:

NSN 5905-01-221-8077

Film Fixed Resistor Network - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0