

View Online at <https://aerobasegroup.com/nsn/5905-01-221-9871>

**Temperature Coefficient Of Resistance In Ppm Per Deg Celsius:**

-50.0 to 50.0 first temp coefficient

**Electrical Resistance:**

95.000 kilohms intermediate resistance value

**Resistance Tolerance In Percent:**

-1.000 to 1.000 each resistor

**Ambient Temperature In Deg Celsius At Full Rated Power:**

125.0

**Ambient Temperature In Deg Celsius At Zero Percent Rated Power:**

150.0

**Temperature Range Of Temperature Coefficient In Deg Celsius:**

-55.0 to 125.0 temp range of first temp coefficient

**Inclosure Method:**

Hermetically sealed

**Terminal Quantity:**

14

**Terminal Type:**

Tab, solder lug

**Reliability Indicator:**

Not established

**Terminal Length:**

0.140 inches

**Body Length:**

0.796 inches

**Body Width:**

0.280 inches

**Body Height:**

0.130 inches

**Schematic Diagram Designator:**

Balanced ladder network

**Power Dissipation Rating In Watts:**

0.500 total network

**Err Default:**

Between 0.014 inches and 0.026 inches

**Identical Value Resistor Quantity:**

4 highest resistance value

**Special Features:**

Burn in required

**Unpackaged Unit Weight:**

2.0 grams

**Style Designator:**

Dual inline

**Test Data Document:**

73030-5e4790/84 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A001a0